

# **Technical Data Sheet NO.**

01/10

#### **CD-32**

**CD-32** is a carboxylated acrylic copolymer emulsion designed for use as an associative thickening agent. **CD-32** is Alkyl Phenol Free thickener.

# **CD-32 Typical Properties:**

Solids Content	30±1%
PH	2.0-4.0
Thickening ability	50-70
Specific Gravity at 25°C	1.06
Surfactant Type	Anionic/ Nonionic
Freeze/Thaw Stability	Unstable

## **Application:**

**CD-32** is recommended for use when the thickened lattice must have a short stringed rheological effect. Broad applications in Water based Emulsion Paints and Coatings. Most effective thickening range is in the pH range 8.5-9.5. The recommended dosage is 0.4-2 % with in the formulation. Thickening effect: 10 grams of **CD –32** on 340 cc water with 2 grams of ammonia (25%) added while stirring yields thickening effect of 2000 cps (Brookfield LVT SP-3, 30 RPM).

#### Packaging:

200-kilo lacquer lined metal drums with polyethylene inner liner, 1-ton polyethylene container.

## Storage:

**CD-32** can be stored in original containers it is supplied in. Store in shade and protect from freezing.

Further Information about safe handling of this product can be found in the publication, "B.G. Polymers Safety Data Sheet".

All the information included in this data sheet is correct and is presented to the best of our knowledge and experience without warranty. Information on the use of our products should be adapted to local conditions. B.G Technologies cannot accept responsibility or liability for any damage, loss or patent infringements from the use of this information.