

According to regulation (EC) No 7091/6002 (REACH)

| LaqFRon | Edition # 06 | Revision # 0410 | Page |
|---------|--------------|-----------------|--------|
| | Date: 06/06 | Date: 01/10 | 1 of 4 |

1. Identification of the substance / preparation and of the company / undertaking:

| Trade Name | LaqFRon | |
|-------------|---|--|
| Use of the | Flame retardant binder. | |
| preparation | | |
| Company | B.G. (Israel) Technologies Ltd. | |
| Address | Kibbutz Bet Govrin 79370 Israel | |
| Contact | Tel: 972-8-6874236 Fax: 972-8-6874235 dafna_f@b-gtech.com | |

2. Hazards Identification:

| Health Hazards | No known health hazards. |
|---|--|
| Human Risks No specific risks. Xi & R 36 slight irritant. | |
| Environmental Risks | No specific risks. |
| Others | Non-Hazardous goods in accordance with EC transport regulations. |

3. Composition/Information on Ingredients:

| Preparation Description | Brominated Acrylic Copolymer in aqueous dispersion | 45± 1% WT |
|-------------------------|--|-------------|
| | Water | 55± 1% WT |
| | Individual residual monomers | < 0.10 % WT |
| Hazardous Ingredients | None. | |

4. First Aid Measures:

| Effects of overexposure | | |
|-------------------------|---|--|
| - Inhalation | Inhalation of vapor or mist can cause headache, irritation of nasal passages, throat, | |
| | or lungs in a closed space. | |
| - Ingestion | Material is harmless if ingested in small amounts. | |
| - Eyes | Direct contact with eyes can cause slight irritation. | |
| - Skin | Prolonged or repeated contact can cause slight irritation. | |
| First Aid procedures | | |
| - Inhalation | Expose patient to fresh air. Consult a physician. | |
| - Ingestion | Give patient 2 glasses of water to drink. Consult a physician. | |
| - Eyes | Flush eyes with water for 15 minutes. Consult physician. | |
| - Skin | Wash area with soap and water. Consult a physician. | |
| Contaminated Clothing | ng Remove and launder before re-use. | |



According to regulation (EC) No 7091/6002 (REACH)

| LaqFRon | Edition # 06 | Revision # 0410 | Page |
|---------|--------------|-----------------|--------|
| | Date: 06/06 | Date: 01/10 | 2 of 4 |

5. Fire Fighting Measures:

| Risks | Non-combustible aqueous dispersion. | |
|----------|-------------------------------------|--|
| Measures | Not applicable. | |

6. Accidental Release Measures:

| Personal precautions | |
|----------------------------|--|
| - Respiratory protection | Follow section 8 indications. |
| - Eye/face/skin protection | Avoid eye/face contact. |
| Environmental precautions | |
| - Corrective action | Confine area of spill. |
| - Disposal | Follow section 13 indications. |
| Clean-up methods | In accordance with local regulations: |
| - Small spill or leak | Clean with water and send to waste disposal. |
| - Large spill or leak | Absorb with dry sand or other inert material and send to waste disposal. |

7. Handling and Storage:

| Handling | In accordance with chemical products handling precautions. | |
|-----------------------|--|--|
| - Temperature | 5°-35° C. | |
| - Washing facilities | Emergency eye and adequate washing facilities. | |
| - Cleaning facilities | Skin cleaners available. | |
| Storage | | |
| - Area | Indoor/Outdoor store in original containers in shade. | |
| -Temperature | Protect from freezing. | |
| - Empty drums | Follow section 13 indications. | |

8. Exposure Controls/ Personal Protections:

| Respiratory protection | Avoid inhalation of vapors. Use adequate respiratory equipment. |
|------------------------|---|
| Hand protection | Wear rubber or synthetic gloves. |
| Eye/Face protection | Safety eye wear against splash. |
| Skin protection | Prevent contact with contaminated clothing. |



According to regulation (EC) No 7091/6002 (REACH)

| LaqFRon | Edition # 06 | Revision # 0410 | Page |
|---------|--------------|-----------------|--------|
| | Date: 06/06 | Date: 01/10 | 3 of 4 |

9. Physical and Chemical Properties:

| Appearance | Milky |
|---|------------------------|
| Odor | Slightly plastic smell |
| PH | 6.0-8.0 |
| Boiling point at 101.3 kPa, °C | 100 (water) |
| Melting Range °C | 0° (water) |
| Vapor pressure at 25°C mmHg | 23 (water) |
| Solubility in water at 25°C | Miscible at any ratio |
| Viscosity at 25°C, cps. Brookfield LVT 1/60 | 30-100cps |
| Volatile % by weight | 55± 1% |
| Appearance | Milky |
| Odor | Slightly plastic smell |

10. Stability, Reactivity and Storage:

| Stability | Stable under normal use, 3°C< temperature <30°C. | |
|------------|--|--|
| Reactivity | No reactivity. | |
| Storage | Stable 6 month from production date under recommended storage condition. | |

11. Toxicological Information:

Our experience has shown no risk to health if handled and processed according to recommendations.

12. Ecological Information:

According to knowledge on similar products, does not inhibit degradation activity in activated sludge when introduced properly in low concentrations - abiotic processes. Local effluent regulations should be followed.

13. Disposal Considerations:

| Waste Disposal method | Controlled incineration. |
|-----------------------------|---|
| Empty Drums disposal method | Disposal by reputable drum conditioner. |



According to regulation (EC) No 7091/6002 (REACH)

| LaqFRon | Edition # 06 | Revision # 0410 | Page |
|---------|--------------|-----------------|--------|
| | Date: 06/06 | Date: 01/10 | 4 of 4 |

14. Transport Information:

| UN# | None |
|---|----------------------|
| By Land (ADR), Sea (IMDG), Plane (IATA) | Non-Hazardous goods. |

15. Regulatory Information:

Non-hazardous goods under EC regulations.

16. Other Information:

| Distribution | Distribution advisable to personnel handling product. |
|--------------|---|
| | |