

According to regulation (EC) No 7091/6002 (REACH)

BG 60	Edition # 01	Revision #	Page
	Date: 08/2010	Date:	1of 5

1. Identification of the substance / preparation and of the company / undertaking:

Trade Name	BG 60	
Use of the	Acrylic Additive For Cement Admixture	
preparation		
Company	B G (Israel) Technologies Ltd.	
Address	Kibbutz Bet Govrin 79370 Israel	
Contact	Tel: 972-8-6874236 Fax: 972-8-6874235, info@b-gtech.com	

2. Hazards Identification:

Health Hazards	No known health hazards.	
Human Risks	No specific risks. Xi & R 36 slight irritant.	
Environmental Risks	No specific risks.	
Others	Non-Hazardous goods in accordance with EC transport regulations.	

3. Composition/Information on Ingredients:

Preparation Description	Acrylic Copolymer in aqueous dispersion	
	Individual residual monomers	< 0.1 % WT
Hazardous Ingredients	None.	

4. First Aid Measures:

Effects of overexposure	
- Inhalation	Inhalation of vapor or mist can cause headache, irritation of nasal passages, throat,
	or lungs in a closed space.
- Ingestion	Material is harmless if ingested in small amounts.
- Eyes	Direct contact with eyes can cause slight irritation.
- Skin	Prolonged or repeated contact can cause slight irritation.



According to regulation (EC) No 7091/6002 (REACH)

BG 60	Edition # 01	Revision #	Page
	Date: 08/2010	Date:	2 of 5

First Aid procedures	
- Inhalation	Expose patient to fresh air. Consult a physician.
- Ingestion	Give patient 2 glasses of water to drink. Consult a physician.
- Eyes	Flush eyes with water for 15 minutes. Consult physician.
- Skin	Wash area with soap and water. Consult a physician.
Contaminated Clothing	Remove and launder before re-use.

5. Fire Fighting Measures:

Risks	Non-combustible aqueous dispersion.	
Measures	Not applicable.	

6. Accidental Release Measures:

Personal precautions	
- Respiratory protection	Follow section 8 indications.
- Eye/face/skin protection	Avoid eye/face contact.
Environmental precautions	
- Corrective action	Confine area of spill.
- Disposal	Follow section 13 indications.
Clean-up methods	In accordance with local regulations:
- Small spill or leak	Clean with water and send to waste disposal.
- Large spill or leak	Absorb with dry sand or other inert material and send to waste disposal.

7. Handling and Storage:

Handling	In accordance with chemical products handling precautions.
- Temperature	5°-35° C.
- Washing facilities	Emergency eye and adequate washing facilities.
- Cleaning facilities	Skin cleaners available.
Storage	
- Area	Indoor/Outdoor store in original containers in shade.
-Temperature	Protect from freezing.
- Empty drums	Follow section 13 indications.



According to regulation (EC) No 7091/6002 (REACH)

BG 60	Edition # 01	Revision #	Page
	Date: 08/2010	Date:	3 of 5

8. Exposure Controls/ Personal Protections:

Personal protective	General protective and hygiene measures.	
equipment	Do not inhale dust.	
	Take care for sufficient ventilation or exhaust on the workshop place.	
	Do not eat, drink or smoke during work time.	
	Wash hands before breaks and after work.	
	Use barrier skin cream.	
Respiratory protection	Dust protection mask	
Hand protection	Nitrile rubber gloves.	
Eye/Face protection	Safety glasses / face shield	
Body protection	Working clothes	

9. Physical and Chemical Properties:

Appearance	Milky Liquid
Odor	Slightly plastic smell
PH	6-7
Boiling point at 101.3 kPa, °C	100 (water)
Melting Range °C	0° (water)
Vapor pressure at 25°C mmHg	23 (water)
Viscosity at 25°C Brookfield LVT 2/30	20-140 cps
Solubility in water at 25°C	Miscible at any ratio
Specific Gravity	1.04
Solid content (%)	45-47



According to regulation (EC) No 7091/6002 (REACH)

BG 60	Edition # 01	Revision #	Page
	Date: 08/2010	Date:	4 of 5

10. Stability, Reactivity and Storage:

Stability	Stable under normal use, 3°C< temperature <30°C.	
Reactivity	No reactivity.	
Storage	age Stable 12 months from production date under recommended storage conditions.	

11. Toxicological Information:

Sensitization	Allergic reactions can be observed by sensitive persons.	
Experience on	When skin contact: irritation.	
humans	When eyes contact: irritation.	
	May cause irreversible damage to eyes.	
	When inhalation: irritation.	
	When swallowed: small amount may cause considerable health disorders.	

12. Ecological Information:

Water hazard class 1. Local effluent regulations should be followed.

13. Disposal Considerations:

Product	Recommendations
	Must be disposed of in a special waste disposal unit in
	accordance with the corresponding regulations.
packaging	Recommendations
	Completely emptied packaging can be given for recycling.
	Packaging that cannot be cleaned should be disposed of as
	product waste.

14. Transport Information:

UN#	None
By Land (ADR), Sea (IMDG), Plane (IATA)	Non-Hazardous goods.



According to regulation (EC) No 7091/6002 (REACH)

15. Regulatory Information:

Non-hazardous goods under EC regulations.

16. Other Information:

Distribution Distribution advisable to personnel handling product.